

Dual Light Al Turret Camera

On-prem) IT9399 / IT9389 / IT9383

This series is designed to help users safeguard their environment at all times. In the event of unusual activity, it quickly and accurately activates a warm white light and emits an alert to warn potential intruders. Powered by the RealSight Engine, this product can capture clear, color footage at night. Additionally, Deep Search enables quick investigation based on the color of people or vehicles involved in the event. So whether it's day or night, you'll always see what's going on.

Features Hardware Software 5/8 MP Resolution **Dual Light Mode** Support warm light & infrared light Al turret camera **Built-in Speaker Outdoor Rated** On-site siren deterrence and IP66 water resistant real-time speaker IK10 vandal resistant **Vision Object Analytic** Smart VCA Identify people, Accurate detect incidents vehicles and attributes **RealSight Engine Deep Search** Clear visibility of people Available with supported platform in any lighting **Trend-Micro[™] IoT Security** Defend and quarantine vulnerability protection

Proactive Nighttime Deterrence

Mode 1: Long-Time Lighting Mode

This mode enables warm white lighting to enhance visibility in low-light environments without the need for additional lighting. The continuous and adjustable illumination not only improves nighttime visibility but also proactively deters unwanted visitors.




Smart Phone Camera

IR

Warm Light

Mode 2: AI Detection Event Mode

At night, the turret camera remains in discreet monitoring mode until it detects an event. When an event is detected, it instantly activates a bright warm light to startle and deter intruders. This mode not only helps prevent potential threats but also ensures the capture of clear, full-color footage during nighttime events.



IR On


Warm Light On

IR On


Instant Alarm Response & Sound Broadcast

Automatic alarm deterrence

When detect events, would triggers alert automatically to deter potential threats.



Users can directly communicate through the VMS or broadcast messages as needed.





Proactively Detect Events through AI Analytic

AI detection for accurate alarm

VIVOTEK Smart VCA offers precise object and attribute tracking, providing detailed video analytics for targeted monitoring and quick searches.

	Smart Motion	Line Crossing	۲ Intrusion	Loitering	Face	Crowd	Missing Object	Unattended Object	ے Running	Parking Detection	estricted Zone
IT9389-V3, IT9399	0	Ø	Ø	Ø	Ø	Ø		Ø	Paid Licenses		
IT9383	I	Ø	Ø	Ø	Ø	Paid Licenses					

Color Nighttime Footage

Clear people at night — Powered by RealSight Engine

This feature ensures clear and detailed capture of people or cars, even when in motion or in challenging low-light conditions, with RealSight Engine automatically providing clear images without over-exposure, even at night when warm light is turned on.



Clearly capture moving figures



No overexposure at night

Deep Search results in color — Even at night

Effortlessly find evidence without scanning hours of footage by using Deep Search, which allows fast and precise video searches based on various attributes. Thanks to color footage captured even at night, users can view snapshots of people and their paths clearly, not black and white anymore.



Export the Evidence Seamlessly


Case Vault helps users manage footage discovered through Deep Search. Organize video clips and export detailed case reports directly from search results — simplifying your entire case management workflow.





Reliable Security

Whether deployed on-premises or in the cloud, VIVOTEK's end-to-end security approach ensures reliable, standards-based protection to keep your surveillance data safe. With a comprehensive layered architecture, your system is secured at every stage—from device to transmission to cloud.



Ordering Information

(On-premise)

Model	IT9399-HVW	IT9399-HTVW	IT9389-HVW-V3	IT9389- HTVW-V3	IT9383-HVW	IT9383-HTVW				
Resolution	81	ИР	5MP							
Lens	4.2 mm	4.3~9.8mm	2.8 mm	2.8~12 mm	2.8 mm	2.8~12 mm				
Aperture	F1.6	F1.6 ~ F2.6	F2.0	F1.6 ~ F3.3	F2.0	F1.6 ~ F3.3				
HFOV	110.74°	110.4° ~ 45.1°	103.4°	95.4° ~ 28.7°	103.4°	95.4° ~ 28.7°				
Illuminators	40)M IR/ 30M Warm Lig	Jht	30M IR & Warm Light						
RealSight Engine	V	V	V	V	х	Х				
Built-in Speaker	V	V	V	V	х	Х				
Built-in Microphone	V	V	V	V	V	V				
Talk Down Platform	VAST Security Station									
Warranty	5 Years									

Accessory

IT9389, IT9399



AM-21A(02) L-shape Bracket



AM-71D Outdoor Conduit Box



AM-52E Mounting Adapter for Outdoor Dome

IT9383



AM-21A(02) L-shape Bracket



AM-71D Outdoor Conduit Box



AM-71B Waterproof Conduit Box

